



CHEMSTONE[®]

KNOW YOUR STONE BETTER WITH US

The Dependable

Stone Experts



KNOW YOUR
STONE
BETTER WITH US

www.chemstone.in

CHEMSTONE[®]
KNOW YOUR STONE BETTER WITH US

COMMITTED TO
PROVIDING SAFE
AND INNOVATIVE
SOLUTIONS
SINCE 1982

As the leading manufacturer of high-quality chemicals for the treatment of natural **stone, tiles, marble, and granite**, our commitment to innovation sets us apart in both residential and commercial construction projects. Our pioneering spirit has led to the creation of a globally recognized alternative to conventional stone chemicals, celebrated for its exceptional quality. Operating under the **CHEMSTONE** banner, our extensive product range encompasses cutting-edge solutions such as **GROUTS, FILLERS, ADHESIVES, SHINERS, SEALERS, and CLEANERS**. Backed by our primary plant in Gujarat's Kheda district, manned by skilled technocrats ensuring top-notch quality, we offer expert assistance for flawless **commencement, installation, polishing, sealing, and cleaning**. With an unwavering dedication to solving traditional challenges through extensive research and development, we present a comprehensive solution for all your construction needs.



50+ PRODUCT RANGE

The speed at which the chemical market develops requires an effective response from the product and solution providers. Our basic focus is to anticipate problems in conventional methods of working in construction industry and stone industry and be ready with solutions. First and foremost, our commitment is to provide our users with innovative and safe solutions in this high-speed market.

Every new product launched by Chemstone is backed by strenuous research and experiments by our team. The physical and chemical properties of all the products manufactured by Chemstone are fully tested on state-of-the-art equipment. They are tested against extreme fluctuations in temperature, humidity and in required national & International codes other performance influencing factors before creating the final formulations. We ensure that the products used by our end users exceed their expectations, thus concluding the long journey of research and analysis at various stages since commencement. Innovation, sustainability, research and development are at the core and heart of the Chemstone family of manufactured products.

BE
VOCAL
FOR
LOCAL

Chemstone offers the best import substitutes for natural stone treatment and other construction chemicals and conducts all manufacturing operations in India. We support the Make in India campaign as it fosters innovation, enhances skill development and builds best in class infrastructure in our country.

We proudly welcome you to be a part of our efforts and be vocal for local.



www.chemstone.in


CONTENTS



**ADHESIVE
SYSTEMS**

O1


06



WHITE SERIES

O2

10



**POLYESTER
SYSTEMS**

O3

12



EPOXY SYSTEMS

04

14



DENSIFYING SYSTEMS

05


16



POLISHING SYSTEMS

06


18



PROTECTION SYSTEMS

07

20



MAINTENANCE SYSTEMS

08

24



POXY GROUTS

09

26

BOND WITH THE BEST

Chemstone offers a range of efficient and high-performance adhesives for fixing and cladding of natural stones and tiles. CS Adhesives provide a significant advantage over conventional methods of sand-cement beds in terms of adhesion, strength, flexibility and durability.

ADHESIVE SYSTEMS



For Internal & External Floor & Wall



Superior Bond Strength



Highly Flexible



Impact Resistant



Low VOC

CS FLEX

CS Flex is a single component, cementitious tile adhesive for fixing small format ceramic and vitrified tile in indoor and outdoor areas. It is also a versatile block adhesive.

Performance conformity
IS 15477:2019 Type 2
EN 12004:2017 C1T



Size	Grey Art No.	White Art No.
20 Kg	12101	12102
50 Kg	12201	12202

CS FLEX PLUS

CS Flex Plus is a single component, polymer-modified, cementitious tile adhesive for fixing vitrified tiles and natural stones to floors and walls.

Performance conformity
IS 15477:2019 Type 2
EN 12004:2017 C2TE



Size	Grey Art No.	White Art No.
20 Kg	12113	12114
50 Kg	12213	12214

CS FLEX T

CS Flex T is a single component, polymer-modified, cementitious tile adhesive with long open time, no sag and high adhesion. It is used for fixing large tiles and natural tiles and natural stones.

Performance conformity
IS 15477:2019 Type 3
EN 12004:2017 C2TE



Size	Grey Art No.	White Art No.
20 Kg	12103	12104
50 Kg	12203	12204

CS FLEX T GEL

CS Flex T GEL is a single component, polymer-modified, cementitious tile adhesive with long open time, no sag and high adhesion. It is used for fixing large tiles and natural tiles and natural stones. Improved wettability and adhesion with gel technology.

Performance Conformity
IS 15477:2019 Type 3
EN 12004:2017 C2TE



Advance Benefits

- ✓ Gel Technology
- ✓ Better Wettability
- ✓ Gel Consistency
- ✓ Superior Adhesion

Size	Grey Art No.	White Art No.
20 Kg	12109	12110
50 Kg	12209	12210

CS FLEX S1

CS Flex S1 is a single component, highly polymer modified, cementitious adhesive for fixing tiles and natural stones in indoor or outdoor applications. It is highly deformable which makes it suitable for application in areas with moderate movement and vibrations.

Performance Conformity
IS 15477:2019 Type 3
EN 12004:2017 C2TES1



Size	Grey Art No.	White Art No.
20 Kg	12105	12106
50 Kg	12205	12206

CS FLEX S1 GEL

CS Flex S1 is a single component, highly polymer modified, cementitious adhesive for fixing tiles and natural stones in indoor or outdoor applications. It is highly deformable which makes it suitable for application in areas with moderate movement and vibrations. Improved wettability and adhesion with gel technology.

Performance Conformity
IS 15477:2019 Type 3
EN 12004:2017 C2TES1



Advance Benefits

- ✓ Gel Technology
- ✓ Better Wettability
- ✓ Gel Consistency
- ✓ Superior Adhesion

Size	Grey Art No.	White Art No.
20 Kg	12111	12112
50 Kg	12211	12212

CS FLEX W

CS Flex W is a two-component, highly deformable, high performance, with extended open-time cementitious adhesive, with no vertical slip for tiles and natural stone. It is specifically recommended for white and light-coloured stones as it provides a highly degree of protection from stain absorption from backside.

Performance Conformity
IS 15477:2019 Type 3
EN 12004:2017 C2TES1

Size	Art No.
20 Kg	12107
6.25 Kg	12108



CS ACRYBOND

CS Acrybond is a water-based acrylic polymer emulsion designed for modifying concrete and Portland cement compositions and waterproofing slurries.



Size	Art No.
20 L	93153
5 L	93152
1 L	93151

CS LATEX ECO

CS LATEX ECO is used for modifying mineral adhesives to improve adhesion and longitudinal and transverse deformability.



Size	Art No.
20 L	93050

CS ADMIX

Eco-Friendly, elastomeric latex for mineral grouts. Does not alter workability, ease of cleaning and interval before normal use. Improves adhesion, water-repellency and surface hardness.



Size	Art No.
5 Ltr	90943
1 Ltr	90942

CS EPOFLEX

CS EPOFLEX is a resinous adhesive used for fixing water-sensitive tiles and natural stones on deformable substrates. It provides highly flexible and high-strength adhesion on versatile substrates.

Performance Conformity
EN 12004:2017 – R2 T
IS 15477:2019 Type 5 Adhesive



Size	Art No.
8 Kg Set	12511
4 Kg Set	12510

CS POXY SPOTFIX

CS Poxy SpotFix is a two-component, epoxy based, fast-setting adhesive that offers high flexibility and adhesion for spot bonding tiles and natural stones.

Performance conformity
IS 15477:2019 – Type 5
EN 12004:2017 – R2T

Size	Art No.
2 Kg Set	12515





We understand your

LOVE FOR WHITE

Chemstone has developed a sophisticated range of Joint and surface fillers which are specially designed for white stones

WHITE SERIES



For Internal
& External
Floor & Wall



High UV
Resistance



Color
Stable



Low VOC

CS CHEMPOX 9090 CRYSTAL CLEAR (2:1)

CS Chempox 9090 Crystal Clear is a two-component, epoxy-based, solvent-free gel used for joint and crack-filling in white and light-coloured natural stones. CS Chempox 9090 Crystal Clear is knife-grade and neutral-coloured with high adhesion and weather resistance. It is formulated using high-quality and specialized materials that make it UV-stable and non-yellowing under sunlight.




Size	R. Art No.	H. Art No.
2.25 Kg Set	90644	90544
1.5 Kg Set	90645	90545
1 Kg Set	90646	90546



Non-Yellowing Under Sunlight A Game Changer in Epoxies!

- » Colour stable
- » Solvent-free, gel-like adhesive
- » High-creep strength and adhesion



CS CHEMPOX 9090 L (4:1)


CS Chempox 9090 L is a two-component, epoxy-based, solvent-free liquid used for joint and surface-filling in white and light-coloured natural stones. CS Chempox 9090 L is colourless and transparent with high adhesion and weather resistance. It is formulated using high-quality and specialized materials that make it UV-stable and non-yellowing under sunlight.



Size	R. Art No.	H. Art No.
5 Kg Set	90653	90553
1.25 Kg Set	90652	90552

The Ultimate Non-Yellowing Epoxy Liquid

- » Solvent-free, low viscosity
- » Liquid consistency
- » Colour stable
- » Compatible with automated systems





POLYESTER SYSTEMS



For Internal
& External
Floor & Wall



UV
Resistant



Color
Stable



Low VOC

CS MASTIC SOFT

CS Mastic Soft is a two-component, polyester-based, knife-grade material with mineral fillers for joint and surface filling in coloured marbles and other natural stones. CS Mastic Soft has a creamy consistency which makes it excellent for application on vertical surfaces and filling large holes and cracks.

- ✓ Pre-coloured
- ✓ Fast setting
- ✓ UV Stabilized



Size	R. Art No.	H. Art No.
1.5 Kg Set	93048	90817

CS TRANSPARENT SOFT

CS Transparent Soft is a honey-coloured, two-component, polyester-based, material for joint and surface filling in coloured marbles and other natural stones. CS Transparent Soft provides high adhesion and is highly polishable, making it excellent for vertical applications.

- ✓ Knife grade
- ✓ Fast setting
- ✓ UV Stabilized
- ✓ Tintable



Size	R. Art No.	H. Art No.
1 Kg Set	90952	90817

CS WATER CLEAR GEL SPECIAL

CS Water Clear Gel Special is a neutral-coloured, two-component, polyester-based gel for joint and surface filling in all marbles and other natural stones. It provides high adhesion and is highly polishable.

- ✓ Knife grade
- ✓ Neutral colour
- ✓ UV Stabilized
- ✓ Tintable



Size	R. Art No.	H. Art No.
1 Kg Set	90258	90816

CS UNIVERSAL

CS Universal is a neutral – coloured, two-component, UV stabilized, knife-grade gel based on unsaturated polyester resin. It is widely used for filling and bonding coloured natural and artificial stones.

Special Features

- ✓ Neutral Colour
- ✓ Colour Stable
- ✓ Fast Setting
- ✓ Easily Coloured with CS Tints



Size	P. Art No.	H. Art No.
1 kg	90911	90817

CS MASTIC LIQUID

CS Mastic Liquid is a two-component, polyester-based, liquid material with mineral fillers for joint and surface filling in coloured marbles and other natural stones. CS Mastic Liquid has a liquid consistency which makes it excellent for application on large horizontal surfaces and filling medium and small holes and cracks.

- ✓ Pre-coloured
- ✓ Fast setting
- ✓ UV Stabilized



Size	R. Art No.	H. Art No.
1 Kg Set	93049	90817

CS TRANSPARENT LIQUID

CS Transparent Liquid is a honey-coloured, two-component, polyester-based, material for joint and surface filling in coloured marbles and other natural stones. CS Transparent Liquid provides high adhesion and is highly polishable, excellent for horizontal and large area applications.

- ✓ Liquid Consistency
- ✓ Fast setting
- ✓ UV Stabilized
- ✓ Tintable



Size	R. Art No.	H. Art No.
1 Kg Set	90958	90817

CS CRACK FILL WATER CLEAR

CS Crack Fill Water Clear is a transparent, colourless, two-component, polyester-based liquid for joint and surface filling in all marbles and other natural stones. It provides high adhesion and is highly polishable.

- ✓ Liquid consistency
- ✓ Neutral colour
- ✓ UV Stabilized
- ✓ Tintable



Size	R. Art No.	H. Art No.
1 Kg Set	90721	90816

CS TINTS (POLYESTER)

CS Tints are paste-like concentrates of high-quality pigments for colouration of polyester products. CS Tints are available in standard RAL colours and can also be customized.



Size	P. Art No.	E. Art No.
50 Gm	91601	91701



EPOXY SYSTEMS



For Internal
& External
Floor & Wall



UV
Resistant



Color
Stable



Low VOC



Food Safe

CS CHEMPOX 5025 CLEAR BOND (2:1)

CS Chempox 5025 Clear Bond is a two-component, epoxy-based, solvent-free adhesive gel for bonding coloured natural and artificial stones. CS Chempox 5025 Clear Bond is knife-grade and neutral-coloured with high adhesion and weather resistance. It is specially formulated with high-quality materials which cause minimal yellowing. Colouring possible with CS Tints.



Size	R. Art No.	H. Art No.
2.25 Kg Set	90647	90547
1.5 Kg Set	90648	90548
1 Kg Set	90649	90549

CS POXY GEL (2:1)

CS Poxy Gel is a two-component, epoxy-based, solvent-free adhesive gel for bonding coloured natural and artificial stones. CS Poxy Gel is knife-grade and neutral-coloured with high adhesion and weather resistance. It is specially formulated with high-quality materials which cause minimal yellowing. Colouring possible with CS Tints.



Size	R. Art No.	H. Art No.
2.25 Kg Set	90637	90537
1 Kg Set	90638	90538

CS CHEMPOX 5050 (1:1)

CS Poxy Gel is a two-component, epoxy-based, solvent-free adhesive gel for bonding coloured natural and artificial stones. CS Poxy Gel is knife-grade and neutral-coloured with high adhesion and weather resistance. It is specially formulated with high-quality materials which cause minimal yellowing. Colouring possible with CS Tints.



Size	R. Art No.	H. Art No.
2 Kg Set	90001	90101
1 Kg Set	90002	90102

CS CHEMPOX 555 ULTRA (2:1)

CS Chempox 555 Ultra is an economical, two-component, epoxy based, solvent-free gel for bonding and filling coloured natural and artificial stones. It is knife-grade and provides high adhesion.



Size	R. Art No.	H. Art No.
2.25 Kg Set	90633	90533

CS CHEMPOX 9005 (4:1)

CS Chempox 9005 is a low-viscosity, two-component epoxy-based joint and resin filling system for coloured marbles and artificial stones. It provides high degree of penetration and high adhesion. It is specially formulated with high-quality materials which cause minimal yellowing. Colouring possible with CS Tints.



Size	R. Art No.	H. Art No.
5 Kg Set	90642	90542
1.25 Kg Set	90641	90541

CS CHEMPOX MICRO 9016 (4:1)

CS Chempox 9016 is an ultra low-viscosity, two-component epoxy-based joint and resin filling system for coloured marbles and artificial stones. It provides high degree of penetration and high adhesion. It is specially formulated with high-quality materials which cause minimal yellowing. Colouring possible with CS Tints. It is specifically recommended for dense stones with low degree of porosity. Colouring possible with CS Tints.



Size	R. Art No.	H. Art No.
5 Kg Set	91711	91611
1.25 Kg Set	91710	91610

CS COMPOGEL (2:1)

CS Compogel is a flexible, two-component epoxy-based adhesive gel specifically designed for joint filling in composite and other stones that are subjected to high degree of thermal expansion.



Size	R. Art No.	H. Art No.
2.25 Kg Set	90634	90534
1.5 Kg Set	90635	90535
1 Kg Set	90636	90536

CS TINTS (EPOXY)

CS Tints are paste-like concentrates of high-quality pigments for colouration of epoxy products. CS Tints are available in standard RAL colours and can also be customized.



Size	P. Art No.	E. Art No.
50 Gm	91601	91701



DENSIFYING SYSTEMS



For Internal
& External
Floor & Wall



Increased
Acid & Stain
Resistance



Increased
Gloss



Increased
water
Resistance

CS GUARD series are specially designed water-based densifiers that use advanced lithium-chemistry that strengthens the marbles, stones and concrete to make them harder, increase water, stain and abrasion resistance.

Specialty materials in the densifiers react with the calcium in the marble to form a dense, insoluble material that fill up microscopic pores and cracks and make the stone denser and harder.

ADVANTAGES

- Increased hardness
- Increased abrasion/scratch resistance
- Increased gloss
- Increased water and stain repellency
- Increased weather resistance
- Longer retention of gloss/polish
- Reduced bug hole and crack development
- Zero VOCs

CS GUARD

Applied on dry surfaces after 200 grit grinding. Can be used on materials like marbles, other natural stones containing free calcium and concrete. Suitable for both indoor and outdoor applications.



Size	Art No.
20 Ltr	91357
5 Ltr	91356
1 Ltr	91355

CS GUARD PLUS

Applied on dry surfaces after 800 grit grinding. Can be used on materials like marbles, other natural stones containing free calcium and concrete. Suitable for both indoor and outdoor applications.



Size	Art No.
20 Ltr	91360
5 Ltr	91359
1 Ltr	91358

CS GUARD PLATINUM

Applied on dry surfaces after 800 grit grinding. Specifically recommended for white and light-coloured stones as it provides a higher degree of stain repellency. Suitable for both indoor and outdoor applications.



Size	Art No.
20 Ltr	91363
5 Ltr	91362
1 Ltr	91361



POLISHING SYSTEMS

IT IS NOT JUST A FINISH,
IT IS ADDED STRENGTH



For Internal
& External
Floor & Wall



Increased
Acid & Stain
Resistance



Increased
Gloss



Increased
water
Resistance

CS INSTASHINE POWDER

CS Instashine Powder is a proprietary blend of abrasives and crystallizers that is used for final mirror-finish polishing and also restoration and re-polishing of worn-out stone surfaces. It creates a nanoscopic glass-like coating on the surface of the stone that provides excellent gloss and a degree of scratch protection.



Size	Art No.
5 Kg	93821
1 Kg	93820

CS INSTASHINE LIQUID

CS Instashine Liquid is a ready-to-use blend of abrasives and crystallizers that is used for final mirror-finish polishing and also restoration and re-polishing of worn-out stone surfaces. It creates a nanoscopic glass-like coating on the surface of the stone that provides excellent gloss and a degree of scratch protection.



Size	Art No.
1 Kg	93122

CS INSTASHINE ULTRA

CS Instashine Ultra is a ready-to-use polish maintenance system for vitrification and restoration of marble floorings. It provides mirror-finishes and a scratch resistant surface. It can be used as a "spray-and-buff" system as it dries up after buffing and requires no clean up.



Size	Art No.
1 Ltr	93121



PROTECTION SYSTEMS



For Internal
& External
Floor & Wall



Water
Resistance



Oil & Stain
Resistance



Longlasting

STEP ONE

CS Step One is a solvent-based protector specifically designed for application on the edges of natural stone panels before joint filling. It creates an invisible barrier that prevents the absorption of resins into porous stones, eliminating the risk of darkening, shadow formation or joint bleeding. Ideal for marbles, natural and artificial stones.

Size	Art No.
5 Ltr	91938
1 Ltr	91937



CS BACK PROTECTOR

CS Back Protector is a water-based backside protector designed to prevent water and stain migration from the substrate into the stone. It creates an invisible, breathable barrier that blocks moisture absorption and water-borne stains like rust from rising through the stone to the surface.


Size	Art No.
5 Ltr	93300
1 Ltr	93301



CS NANO SHIELD

CS Nano Shield is a solvent-based stone impregnator that provides a durable, subsurface protective layer that provides oil and water repellency, staining resistance and easy cleanup.

Size	Art No.
5 Ltr	90835
1 Ltr	90834



CS BARRIER

CS Barrier is a high-performance solvent-based, non-film forming sealer that provides an excellent protective barrier against oil and stain formation on low-porosity natural stones like marble. It provides long-lasting protection allowing for easy cleanup.

Size	Art No.
5 Ltr	91933
1 Ltr	91932



CS BARRIER W

CS Barrier W is a high-performance water-based, non-film forming, VOC free sealer that provides an excellent protective barrier against oil and stain formation on low-porosity natural stones like marble. It provides long-lasting protection allowing for easy cleanup.

Size	Art No.
5 Ltr	91931
1 Ltr	91929



CS STONE IMPREGNATION

CS Stone Impregnation is a solvent-based, non-film forming sealer that provides long-lasting excellent water-repellency on porous surfaces. Can be used both indoor and outdoor on any mineral substrates like marble, kota, granite, bricks, other masonry and facades.

Size	Art No.
5 Ltr	93933
1 Ltr	93932



CS SEAL W

CS Seal W is a non-film forming water-based sealer that provides excellent water-repellency to porous and non-porous substrates. It hardly changes the natural colour of the surface and provides a long-lasting, breathable barrier against water and other moisture related degradation.

Size	Art No.
20 Ltr	93299
5 Ltr	93298
1 Ltr	93297



CS SEAL 33

CS Seal 33 is a high-quality, general purpose, water-based sealer that creates an invisible barrier and provides water-repellency on porous mineral and alkaline substrates. Excellent for outdoor facades and masonry.

Size	Art No.
20 Ltr	90808
5 Ltr	90807
1 Ltr	90806



CS DARKENER BARRIER PLUS

CS Darkener Barrier Plus is a solvent-based stone impregnator and colour enhancer. It creates an almost-invisible layer on the stone surface that enhances the natural colour and also protects from oil and water stains.



Size	Art No.
5 ltr	90940
1 ltr	90941

CS GLOSSER

CS Glosser is a film-forming solvent-based sealer formulated with super acrylic resins that intensify the colour of the surface with a satin-finish. It can be used both indoors and outdoors on polished or rough surfaces.



Size	Art No.
5 ltr	90839
1 ltr	90838

CS CERA FINISH

CS Cera Finish is a wax polish liquid which used to intensify and restore the polished-look on natural and artificial stones. Quick drying with no clean up required. CS Cera Finish can also be used in automatic waxing machines. Can be used on dark coloured marbles, granites and other similar stones. It can also be used on rough stones for a matte finish look.



Size	Art No.
5 Ltr	90943
1 Ltr	90942

CS SEAL ECO

CS SEAL ECO is a ready-to-use, invisible penetrating sealer that provides water repellency to porous surfaces like grout, masonry, bricks and porous tiles. It protects from water-borne stains, discoloration and effervescence.



Size	Art No.
20 Ltr	90809







MAINTENANCE SYSTEMS



For Internal & External Floor & Wall



Fast Action



Easy to Clean

CS STONE CLEANER

CS Stone Cleaner is a slightly alkaline, highly concentrated cleaner that effectively removes construction dirt, old polish, wax, light cement films, oil, grease, soot, tar, and paint residues. Ideal for cleaning all natural and artificial stones including marble, granite, terrazzo, travertine, tiles, and concrete.

Size	Art No.
1 Ltr	91987



CS CRYSTAL CLEAN

CS Crystal is an acid-free cleaning concentrate, formulated with novel surfactants and alcohols. It is a fast-drying product that efficiently cleans light dirt and oil films from natural stones and ceramics and provides a streak-free finish.

Size	Art No.
1 Ltr	90810



CS POXY REMOVER

CS Poxy Remover is a mixture of solvents, used for loosening up and opening old resin material. It is also used to clean tools and adjacent surfaces after application of resin-based products.

Size	Art No.
400 MI	91983



HEAVY DUTY TILE CLEANER

CS Heavy Duty Tile Cleaner is used to clean stains from tile surfaces after application and grouting.

Size	Art No.
1 Ltr	91986
500 MI	91985



CS RUST REMOVER MARBLE

CS Rust Remover Marble is an acid-free cleaning agent for effectively removing rust stains from marble and other calcareous stones.

Size	Art No.
400 MI	90815



CS RUST REMOVER GRANITE

CS Rust Remover Granite is a slightly acidic cleaner for effectively removing rust stains from natural stones like granite and quartzite.

Size	Art No.
400 MI	90814



CS ALGAE REMOVER

CS Algae Remover rapidly and thoroughly removes layers of moss and algae from surfaces like natural stone, artificial stone and concrete.

Size	Art No.
400 MI	90832



CS MAGIC STAIN-OUT

CS Magic Stainout is an acid-free, two-component cleaning system for sensitive, polished surfaces of natural stones. Ideal for deeply absorbed organic stains like coffee, tea, fruit, wine, tobacco and wood.

Size	Art No.
800 MI Set	13075



CS MAGIC DRY

CS Magic Dry is a two-component stain removing paste for cleaning impregnated external stains on natural stones. Organic stains like coffee, tea, fruit, wine, tobacco and wood can be effectively removed. Paste consistency makes the product suitable for vertical applications as well.

Size	Art No.
400 MI Set	13077




CS IMPREGNATION REMOVER

CS Impregnation Remover is a highly-alkaline cleaning agent used for removing impregnation on natural stone and concrete surfaces. It can remove colour intensification materials and other sealers from the surface.

Size	Art No.
1 Ltr	90811





POXY GROUTS



For Internal
& External
Floor & Wall



UV
Resistant



Color
Stable



Low VOC



Food Safe

CS POXY-GROUT

CS POXY-GROUT is a stain free, colour-fast, chemical resistant, 100% solid poxy grout for ceramic tile, vitrified tile, marble & stone.



Size	R. Art No.	F. Art No.
5 Kg Set	91201	91202
1 Kg Set	91101	91102

CS POXY-GROUT CLEAR

CS POXY-GROUT CLEAR is a stain free, colour-fast, chemical resistant, 100% solid poxy grout for ceramic tile, vitrified tile, marble & stone.



Size	Art No.
3 Kg Set	91104

STAINFREE GROUT FOR FLOOR N' WALL

PRODUCT DESCRIPTION:

CS POXY - GROUT is a stain free, colour-fast, chemical resistant, 100% solid epoxy grout for ceramic tile, vitrified tile, marble & stone.

APPLICATION:

CS POXY - GROUT is ideally for suited for residential & commercial installation where materials must resist physical abuse, shock and chemicals.

PART C FILLER POWDER


To be used in combination with PART A (Hardener) & Part B (Resin)

100 % Stain Free

Strong & Durable

Chemical & Temperature resistant

Food Safe



TILE CLEANING AFTER GROUTING

CS Poxo Remover


























CS POXY REMOVER is designed to open old joints and epoxy joint filler. It is also used to clean tools and adjacent surfaces after application of resin-based products.

Heavy Duty Tile Cleaner

HEAVY DUTY TILE CLEANER is used for interior and exterior ceramic tiled floors and walls.

106 DEEP IVORY	46 EARTH RED
07 RUST RED	03 SLEEK
06 CHOCOLATE RED	85 ALMOND
04 BROWN	23 OFF WHITE
27 QUART BEIGE	18 WHITE WINE
25 GREEN	54 DUSTY PINK
05 BEIGE PINK	61 BEESWAX
11 ITA GOLD	51 TON BEIGE
15 BEIGE GREEN	35 DARK COFFEE
92 SOIL TEEK	34 CEMENT STONE
102 WATER BLUE	17 IVORY BEIGE
103 DEEP BLUE	22 DEEP BLACK
89 SOIL GREEN	101 OCEAN BLUE
126 AGRA RED	108 DEEP BLUE
127 BABY PINK	109 RED BROWN
129 HARD BLUE	110 PASTEL GREEN
78 BEIGE GREY	88 SILVER
42 PLETINUM GREY	91 MOSS GREY
128 FRUIT YELLOW	24 CEMENT GREY
44 MILKY WHITE	45 LIGHT BLACK

OUR CLIENTS

 <p>PARLIAMENT OF INDIA</p> <p>Parliament of India</p>	 <p>सत्यमेव जयते</p> <p>Raj Bhawan, Jaipur</p>	 <p>सत्यमेव जयते</p> <p>High Court of Ranchi</p>	 <p>World Health Organization</p> <p>World Health Organisation</p>	 <p>GULSHAN DYNASTY</p>
 <p>SOBHA</p>	 <p>ashiana® you are in safe hands</p>	 <p>MAHIMA Committed to Excellence</p>	 <p>OASIS spaces for life</p>	 <p>UPPAL GROUP</p>
 <p>Sagar's Marble</p>	 <p>KEYSTONE</p>	 <p>AARANGAH</p>	 <p>Globe Grill</p>	 <p>STON AG</p>
 <p>RK MARBLE</p>	 <p>Stonex india EXQUISITE IMPORTED MARBLE</p>	 <p>KalingaStone® ITALIAN DESIGN</p>	 <p>A-CLASS MARBLE</p>	 <p>BAPS</p>
 <p>Jaquar</p> <p>Jaquar Bath Fittings</p>	 <p>APLAPOLLO</p>	 <p>Microsoft</p>	 <p>Mount Litera Zee School PRESERVING POTENTIAL. UNLEASHING Brilliance</p>	 <p>DLFA</p>

Manufactured & Marketed By:

CHEMSTONE®

Factory:

Jivrajpura Road, Vill. Wanthvali,
Mehmedabad, Kheda, Gujarat 387130, INDIA.

Admin Office:

Plot 4718/1, Phase IV, G.I.D.C., Vatva,
Ahmedabad, Gujarat-382445, INDIA.

E.: Info@chemstone.in | Call: +91 63549 16400

Authorised Distributor / Dealer

